Sun Shield

Pool & Spa Chlorine Stabilizer

Form: Granules

Color: White Odor: None

pH: 3.8 - 4.0

Solubility (in water): Soluble **(in mineral spirits):** Insoluble

VOC Content (% by weight): N/D

Flash Point (ASTM D-7821): N/A

Specific Gravity: $2.50 \pm 0.05 \text{ g/cm}^3$

Density: $20.86 \pm 0.05 \, \text{lbs/gal}$

Storage Stability (at 70°F): 1 year

<u>Ingredients</u>	<u>C.A.S. #</u>
Cyanuric Acid	108-80-5
Sulfuric Acid	7664-93-9
Ammelide	645-93-2
Ammeline	645-92-1

Use in...

- Outdoor pools
- Indoor pools
- Above ground pools
- Spas

DIRECTIONS: Use 3 lbs. per 10,000 gallons of pool water to raise stabilizer by 30 ppm. Shut the pool system off. Turn off the main drain if there is one. If the pool has multiple skimmers, shut all but one. Add the precisely measured amount of SUN SHIELD into a bucket of water and mix thoroughly to make a slurry. Remove both the pump and the skimmer basket. Turn the system back on. Very slowly pour the bucket of water and stabilizer slurry into the skimmer that is pulling water down into the pump. Shut the system off again. Replace both baskets. Start system back up. Keep the water circulating continuously for 24 hours after addition. Do not backwash filter for at least 48 hours after application. Test stabilizer level once a month and always test for current stabilizer levels before adding SUN SHIELD.

HMIS				NFPA
	Severe	4	Extreme	
Health1	Serious	3	High	Health1
Flammability0	Moderate	2	Moderate	Flammability0
Reactivity0	Slight	1	Slight	Reactivity0
Personal ProtectionX	Minimal	0	Insignificant	Special PrecautionsNone