

CAR SHAMPOO

Mild High-Sudsing Detergent

Form: Liquid

Color: Amber

Odor: Detergent

pH: 8.30

Solubility (in water): Soluble
(in mineral spirits): Insoluble

Viscosity (CPS at 70°F): >40

Flash Point (ASTM D-7821): N/A

Specific Gravity: 1.05 ± 0.05 lbs/gal

Density: 8.76 ± 0.05 g/cm³

Storage Stability (at 70°F): 1 year

<u>Ingredients</u>	<u>C.A.S.#</u>
Water	7732-18-55
Sodium Alkylether Sulfate	68585-34-2
Alkylbenzene Sulfonic Acid	27176-87-0
Sodium Tripolyphosphate.....	7758-29-4
Potassium Hydroxide	1310-58-3

Other CAR SHAMPOO Uses

- **Liquid Dish Detergent**
- **Upholstery Shampoo Concentrate**
- **RV Cleaner**
- **High Pressure Washer**
- **Tire Mount Lubricant**
- **Windshield Mount Lubricant**
- **Gas Leak Detector**

DIRECTIONS: Use 1/2 to 2 ounces of CAR SHAMPOO per gallon of warm water. Place shampoo in container and fill with water using water pressure to mix. This will provide an abundant quantity of suds. For hand washing, wet car thoroughly and always wash car from lower soiled areas to the upper areas. Always wash car in a protected or shady area. If used properly, CAR SHAMPOO will remove road film and grime while providing a soil resistant finish to cars and trucks. CAR SHAMPOO will not remove protective wax finishes.

HMIS			NFPA	
	Severe	4	Extreme	
Health	Serious	3	High	Health
Flammability	Moderate	2	Moderate	Flammability.....
Reactivity.....	Slight	1	Slight	Reactivity.....
Personal Protection.....	Minimal	0	Insignificant	Special Precautions
				None