## Safety Data Sheet



SECTION 1: Product and company identification			
Product name	: Scentilla Bahamas		
Use of the substance/mixture	: Deodorant		
Product code	: 039101		
Company	: Share Corporation P.O. Box 245013 Milwaukee, WI 53224 - USA (414) 355-4000		
Emergency number	: Chemtrec: (800) 424-9300		

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Flam. Liq. 4 H227 Skin Irrit. 2 H315 Skin Sens. 1 H317 Asp. Tox. 1 H304

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Combustible liquid May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction
Precautionary statements (GHS-US)	<ul> <li>Keep away from heat, open flames, sparks No smoking. Avoid breathing mist, spray. Wash thoroughly after handling Contaminated work clothing must not be allowed out of the workplace Wear eye protection, protective clothing, protective gloves. If swallowed: Immediately call a doctor, a POISON CENTER If on skin: Wash with plenty of soap and water. Specific treatment (see First aid measures on this label) Do NOT induce vomiting. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to comply with local/regional/national/international regulations.</li> </ul>
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US) Not applicable	
SECTION 3: Composition/Informat	ion on ingredients
3.1. Substances Not applicable	

#### Full text of H-phrases: see section 16

3.2. Mixtures





Name	Product identifier	%	GHS-US classification
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS-No.) 64742-47-8	75-90	Flam. Liq. 4, H227 Asp. Tox. 1, H304
(+)-limonene	(CAS-No.) 5989-27-5	10-20	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Cherry Fragrance Mixture	(CAS-No.) Proprietary	0.5-1.5	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	Take off immediately all contaminated clothing and wash it before reuse. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Immediately call a poison center or doctor/physician. Do NOT induce vomiting.
4.2. Most important symptoms and e	ts, both acute and delayed
Symptoms/effects	If you feel unwell, seek medical advice.
Symptoms/effects after inhalation	None under normal use.
Symptoms/effects after skin contact	Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	Direct contact with the eyes is likely to be irritating.
Symptoms/effects after ingestion	May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

<b>SECTION 5: Firefighting measures</b>	
5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	<ul><li>: Dry chemical powder. Carbon dioxide. Alcohol-resistant foam.</li><li>: Solid water jet ineffective as extinguishing medium.</li></ul>
5.2. Special hazards arising from the s	
Fire hazard	: Combustible liquid.
Reactivity	: Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

**SECTION 6: Accidental release measures** 

6.1. Personal precautions, protect General measures	ive equipment and emergency procedures : Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personne	
Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. No naked flames or sparks.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.

## Safety Data Sheet



Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3.       Methods and material for containment and cleaning up         For containment       : Contain released product, pump into suitable containers.         Methods for cleaning up       : This material and its container must be disposed of in a safe way, and as per local legislation. Take up liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a soap solution.
---

## 6.4. Reference to other sections No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Keep away from heat, sparks and flame.
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Do not breathe vapors. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Take precautions against electrostatic charges. Obtain special instructions before use. Remove contaminated clothing immediately.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includin	ng any incompatibilities
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from: sparks, open flames, excessive heat.
Incompatible products	: Oxidizing agent.
Incompatible materials	: Sources of ignition.
Storage area	: Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place.
Special rules on packaging	: Keep only in original container. meet the legal requirements.

#### **SECTION 8: Exposure controls/personal protection**

- 8.1. Control parameters
- No additional information available

8.2. Exposure controls	
Personal protective equipment	: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.



#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Appearance	: Clear, colorless liquid.
Odor	: Fruity
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 163 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available

### Safety Data Sheet

Flammability (solid, gas)	:	No data available
Explosion limits	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20 °C	:	No data available
Specific gravity / density	:	0.8 g/ml
Solubility	:	Insoluble in water.
Log Pow	:	No data available
Log Kow	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	< 20 cSt
Viscosity, dynamic	:	No data available
VOC content	:	< 18 %

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

#### **Chemical stability** 10.2. Combustible liquid.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Incompatible materials 10.5.

Oxidizing agents.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

e toxicity : Not classified		
(+)-limonene (5989-27-5)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence)	
ATE CLP (oral)	4400 mg/kg body weight	
hydrocarbons, C11-C14, n-alkanes, isoalka	nes, cyclics, < 2% aromatics (64742-47-8)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit, Literature)	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	



## Safety Data Sheet



Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Direct contact with the eyes is likely to be irritating.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways.
Likely routes of exposure	: Dermal;Inhalation

## SECTION 12: Ecological information

12.1. Toxicity		
(+)-limonene (5989-27-5)		
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	
hydrocarbons, C11-C14, n-alkanes, isoalkanes, c	cyclics, < 2% aromatics (64742-47-8)	
LC50 fish 1	> 100 mg/l (Pisces)	
EC50 Daphnia 1	> 100 mg/l (Invertebrata)	

#### 12.2. Persistence and degradability

(+)-limonene (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O₂/g substance	
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)		
Persistence and degradability Readily biodegradable in water.		

#### 12.3. Bioaccumulative potential

(+)-limonene (5989-27-5)			
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)		
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)		
Bioaccumulative potential	Potential for bioaccumulation (4 Log Kow 5).		
hydrocarbons, C11-C14, n-alkanes, isoalkanes,	cyclics, < 2% aromatics (64742-47-8)		
Log Pow	6 - 8.2		
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).		

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Department of Transportation (DOT)	
Transport document description	NA1993 Combustible liquid, n.o.s. (Aliphatic Hydrocarbon), 3, III
UN-No.(DOT)	NA1993
Proper Shipping Name (DOT)	Combustible liquid, n.o.s.
Class (DOT)	3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Symbols	D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	B3,T1,T4,TP1

#### Safety Data Sheet



Safety Data Sheet	*
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A
Additional information	
Emergency Response Guide (ERG) Number	: 128
Other information	<ul> <li>When transported by ground in non-bulk containers, this product utilizes the exception found under 49 CFR 173.150. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.</li> </ul>
ADD	

ADR		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		

#### **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.


#### **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation

NFPA health hazard	:	2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	:	2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	:	0 - Material that in themselves are normally stable, even under fire conditions.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.