

ication		
Ration		
: Citra-Scrub		
: Hand cleaner		
: 044001 : Share Corporation		
53224 - USA		
) 424-9300		
Warning Causes serious eye irritation Wash thoroughly after handling		
Wear eye protection If in eyes: Rinse cautiously with wate and easy to do. Continue rinsing		Remove contact lenses, if present
n eye initation persiste. Cet medical	advice/attention	
ingredients		
	0/	
Product identifier	%	GHS-US classification
	% 3.0 - 7.0	GHS-US classification Flam. Liq. 4, H227 Asp. Tox. 1, H304
Product identifier 2% (CAS No) 64742-47-8 (CAS No) 8042-47-5	3.0 - 7.0 3.0 - 7.0	Flam. Liq. 4, H227 Asp. Tox. 1, H304 Asp. Tox. 1, H304
Product identifier 2% (CAS No) 64742-47-8	3.0 - 7.0	Flam. Liq. 4, H227 Asp. Tox. 1, H304 Asp. Tox. 1, H304 Acute Tox. 4 (Oral), H302
Product identifier 2% (CAS No) 64742-47-8 (CAS No) 8042-47-5	3.0 - 7.0 3.0 - 7.0 1.0 - 5.0	Flam. Liq. 4, H227 Asp. Tox. 1, H304 Asp. Tox. 1, H304 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Product identifier 2% (CAS No) 64742-47-8 (CAS No) 8042-47-5 (CAS No) 34398-01-1	3.0 - 7.0 3.0 - 7.0 1.0 - 5.0	Flam. Liq. 4, H227 Asp. Tox. 1, H304 Asp. Tox. 1, H304 Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
	3 53224 - USA 50 9) 424-9300 () 424-9300 (on 3 33224 - USA 00) 424-9300 GHS07 Warning Causes serious eye irritation Wash thoroughly after handling Wear eye protection If in eyes: Rinse cautiously with water for several minutes.

First-aid measures after inhalation	: If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Rinse with water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting.
4.2. Most important symptoms and effect	, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Contact during a long period may cause slight irritation. Repeated exposure may cause skin dryness or cracking.



Citra-Scrub	SHARE
Safety Data Sheet	CORP
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.
4.3. Indication of any immediate medic No additional information available	al attention and special treatment needed
SECTION 5: Firefighting measur	res
5.1. Extinguishing media Suitable extinguishing media	: Adapt extinguishing media to the environment.
5.2. Special hazards arising from the su Reactivity	Ibstance or mixture : Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters Firefighting instructions	Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	neasures
	uipment and emergency procedures
General measures	: Isolate from fire, if possible, without unnecessary risk.
6.1.1. For non-emergency personnel	
Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with
	skin, eyes and clothing. Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Preve	nt entry to sewers and public waters.
6.3. Methods and material for containing	
For containment	: Contain released substance, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections No additional information available	
SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Precautions for safe handling	Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, include	
Technical measures Storage conditions	: Comply with applicable regulations.
	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
ncompatible products	 Oxidizing agent. Strong acids. Strong bases. Sources of ignition. Heat sources.
Incompatible materials	-
Storage area	: Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.
Special rules on packaging	: meet the legal requirements.
SECTION 8: Exposure controls/j	bersonal protection
8.1. Control parameters	
UNDECETH-5 (34398-01-1)	
Not applicable	
white mineral ail (netroleum) (2042	

white mineral oil (petroleum) (8042-47-5)		
ACGIH	ACGIH TWA (mg/m³)	5 mg/m ³ (Mineral oil, pure, highly and severely refined; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value; Inhalable fraction)

Safety Data Sheet



hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) Not applicable

8.2. Exposure controls Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary.

SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and chem	
Physical state	: Liquid
Appearance	: Orange, thickened liquid.
Odor	: Citrus scent
Odor threshold	: No data available
рН	: 6-7.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.998 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: > 20.5 cSt
Viscosity, dynamic	: 7500 - 15000 cP
VOC content	: <1%

SECTION 10: Stability and reactivity

10.1. Reactivity	
Upon combustion: CO and CO2 are form	J.
10.2. Chemical stability	
No additional information available	
10.3. Possibility of hazardous reactions	
Refer to section 10.1 on Reactivity.	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
Strong acids. Strong bases. Oxidizing ag	its.
10.6. Hazardous decomposition products	
Under normal conditions of storage and u	e, hazardous decomposition products should not be produced.
SECTION 11: Toxicological infor	ation
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
UNDECETH-5 (34398-01-1)	
LD50 oral rat	> 1400 mg/kg

Safety Data Sheet



white mineral oil (petroleum) (8042-47-5)	
LD50 oral rat	> 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value)
LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	> 5 mg/l/4h (Rat; Experimental value)
hydrocarbons, C11-C14, n-alkanes, isoalkar	nes, cyclics, < 2% aromatics (64742-47-8)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Literature)
Skin corrosion/irritation	: Not classified
	pH: 6 - 7.5
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 6 - 7.5
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
white mineral oil (petroleum) (8042-47-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Contact during a long period may cause slight irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.
ikely routes of exposure	: Skin and eye contact
SECTION 12: Ecological information	
12.1. Toxicity	
UNDECETH-5 (34398-01-1)	
LC50 fish 1	< 10 mg/l
EC50 Daphnia 1	< 10 mg/l
ErC50 (algae)	< 10 mg/l
white mineral oil (petroleum) (8042-47-5)	
LC50 fish 1	> 100 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Static system; Fresh water; Experimental value)
EC50 Daphnia 1	 > 100 mg/l (LC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	>= 100 mg/l (NOEL; OECD 201: Alga, Growth Inhibition Test; 72 h; Pseudokirchneriella subcapitata; Static system; Fresh water; Weight of evidence)
hydrocarbons, C11-C14, n-alkanes, isoalkanes	s, cyclics, < 2% aromatics (64742-47-8)
LC50 fish 1	<= mg/l >0.1 - <=1,NOEC
EC50 Daphnia 1	<= mg/l >1 - <=10,NOEC

	<- mg/ > 1 - <= 10, NOEC	
LC50 fish 2	> 100 mg/l (LC50)	
EC50 Daphnia 2	> 100 mg/l (EC50)	
Threshold limit algae 1	> 100 mg/l (EC50)	
12.2. Persistence and degradability		
white mineral oil (petroleum) (8042-47-5)		
Persistence and degradability	Not readily biodegradable in water. Adsorbs into the soil.	
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)		
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil.	
12.3. Bioaccumulative potential		
white mineral oil (petroleum) (8042-47-5)		

white 1 Log Pow

Date of issue: 3/2/2017

> 6 (Calculated)





white mineral oil (petroleum) (8042-47-5)

Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).	
hydrocarbons, C11-C14, n-alkanes, isoalkanes,	, cyclics, < 2% aromatics (64742-47-8)	
Log Pow	6 - 8.2	
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).	

SECTION 13: Disposal considerations

13.1. Waste treatment methods Product/Packaging disposal

: Dispose in a safe manner in accordance with local/national regulations.

recommendations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT:	Not regulated for transport
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information av	ailable
Transport by sea	
No additional information available	ailable
Air transport	
No additional information av	ailable

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

UNDECETH-5 (34398-01-1) SARA Section 311/312 Hazard Classes Immediate (acute) health hazard

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

This product is covered under 21 CFR and is subject to certain labeling requirements. These requirements may differ from the classification criteria and hazard information required for safety data sheets and for workplace labels.

SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H318	Causes serious eye damage
H319	Causes serious eye irritation

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

: 0 - Material that in themselves are normally stable, even under fire conditions.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

NFPA reactivity