Safety Data Sheet



SECTION 1: Product and company identification : Organic Tar Remover Trade name

Trade Traine	. Organic rai Keniovei	
Use of the substance/mixture	: Industrial use Solvent	
Product code	: 137802	
Company	: Share Corporation P.O. Box 245013 Milwaukee, WI 53224 - USA T (414) 355-4000	
Emergency number	: Chemtrec: (800) 424-9300	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 3 H226 Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317 Asp. Tox. 1 H304

Full text of H statements : see section 16

2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)	GHS02 GHS05 GHS07 GHS08	
Signal word (GHS-US)	: Danger	
Hazard statements (GHS-US)	 Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Causes serious eye damage 	
Precautionary statements (GHS-US)	May cause an allergic skin reaction	

Safety Data Sheet

2.3. Other hazards No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substance Not applicable

Full text of H-phrases: see section 16

3.2. Mixture			
Name	Product identifier	%	GHS-US classification
(+)-limonene	(CAS No) 5989-27-5	60-100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
UNDECETH-5	(CAS No) 34398-01-1	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Immediately call a poison center or doctor/physician. Rinse mouth with water.
4.2. Most important symptoms and effe	
Symptoms/injuries	: If you feel unwell, seek medical advice.
Symptoms/injuries after inhalation	: Irritation of the respiratory tract. Coughing. Headache.
Symptoms/injuries after skin contact	: Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways. Risk of aspiration pneumonia. Nausea. Cramps/uncontrolled muscular contractions. Diarrhea.
Chronic symptoms	: Cracking of the skin. Dry skin.
4.3. Indication of any immediate medica Treat symptomatically.	il attention and special treatment needed
SECTION 5: Firefighting measur	es
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Carbon dioxide. Dry chemical powder.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	
Fire hazard	: Flammable liquid and vapor.
Fire hazard Explosion hazard	 Flammable liquid and vapor. may be ignited by sparks. May form flammable/explosive vapor-air mixture.
Fire hazard	: Flammable liquid and vapor.
Fire hazard Explosion hazard	 Flammable liquid and vapor. may be ignited by sparks. May form flammable/explosive vapor-air mixture. Reacts with (strong) oxidizers. Reacts with (some) acids. Reacts with (some) halogens compounds. Upon combustion: CO and CO2 are formed.
Fire hazard Explosion hazard Reactivity	 Flammable liquid and vapor. may be ignited by sparks. May form flammable/explosive vapor-air mixture. Reacts with (strong) oxidizers. Reacts with (some) acids. Reacts with (some) halogens compounds.
Fire hazard Explosion hazard Reactivity 5.3. Advice for firefighters	 Flammable liquid and vapor. may be ignited by sparks. May form flammable/explosive vapor-air mixture. Reacts with (strong) oxidizers. Reacts with (some) acids. Reacts with (some) halogens compounds. Upon combustion: CO and CO2 are formed. Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of
Fire hazard Explosion hazard Reactivity 5.3. Advice for firefighters Firefighting instructions	 Flammable liquid and vapor. may be ignited by sparks. May form flammable/explosive vapor-air mixture. Reacts with (strong) oxidizers. Reacts with (some) acids. Reacts with (some) halogens compounds. Upon combustion: CO and CO2 are formed. Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. Do not enter fire area without proper protective equipment, including respiratory protection.
Fire hazard Explosion hazard Reactivity 5.3. Advice for firefighters Firefighting instructions Protection during firefighting	 Flammable liquid and vapor. may be ignited by sparks. May form flammable/explosive vapor-air mixture. Reacts with (strong) oxidizers. Reacts with (some) acids. Reacts with (some) halogens compounds. Upon combustion: CO and CO2 are formed. Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. Do not enter fire area without proper protective equipment, including respiratory protection.



Organic Tar Remover Safety Data Sheet



Safety Data Sheet	CORP
6.1.1. For non-emergency personne	ال
Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
6.2. Environmental precautions Avoid release to the environment. Prev	vent entry to sewers and public waters.
6.3. Methods and material for contain	ament and cleaning up
For containment	: Contain released substance, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections No additional information available	
SECTION 7: Handling and stor	age
7.1. Precautions for safe handling Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable. In use, may form
Additional hazards when processed	flammable vapor-air mixture. Keep away from open flame, sparks, excessive heat No smoking.
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Ground/bond container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
Hygiene measures	: Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inclu	
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : sparks, open flames, excessive heat. Keep container tightly closed.
Incompatible products	: Oxidizing agent. strong acids.
Incompatible materials	: Sources of ignition.
Heat-ignition	: KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.
Prohibitions on mixed storage	: KEEP SUBSTANCE AWAY FROM: oxidizing agents. (strong) acids. halogens.
Storage area	: Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place.
Special rules on packaging	: Keep only in original container. meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective goggles. Protective clothing.



SECTION 9: Physical and c	hemical properties	
9.1. Information on basic physics		
Physical state	: Liquid	
Appearance	: Clear, colorless liquid.	
Odor	: Citrus scent	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	

Safety Data Sheet

Freezing point	: No data available
Boiling point	: No data available
Flash point	: 124 °F Closed cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.85 g/ml
Solubility	: Emulsifies in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: < 20 cSt
Viscosity, dynamic	: No data available
VOC content	: > 90 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with (strong) oxidizers. Reacts with (some) acids. Reacts with (some) halogens compounds. Upon combustion: CO and CO2 are formed.

10.2. Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous reactions Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Heat. Sparks. Open flame.

10.5. Incompatible materials strong acids. Oxidizing agents.

10.6. Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

(+)-limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
ATE CLP (oral)	4400.000 mg/kg body weight
UNDECETH-5 (34398-01-1)	
LD50 oral rat	> 1400 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
(+)-limonene (5989-27-5)	
IARC group	3 - Not Classifiable



Organic Tar Remover Safety Data Sheet

Salety Data Sheet		TM
Reproductive toxicity	: Not classified	
Specific target organ toxicity (single exposure)	: Not classified	
Specific target organ toxicity (repeated exposure)	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Symptoms/injuries after inhalation	: Irritation of the respiratory tract. Coughing. Headache.	
Symptoms/injuries after skin contact	: Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause ski dryness or cracking.	in
Symptoms/injuries after eye contact	: Causes serious eye damage.	
Symptoms/injuries after ingestion	 May be fatal if swallowed and enters airways. Risk of aspiration pneumonia. Nausea. Cramps/uncontrolled muscular contractions. Diarrhea. 	
Chronic symptoms	: Cracking of the skin. Dry skin.	

SECTION 12: Ecological information

2.1. Toxicity	
(+)-limonene (5989-27-5)	
LC50 fish 1	720 μg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow- through system; Fresh water; Experimental value)
EC50 Daphnia 1	0.36 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	150 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Read-across)
UNDECETH-5 (34398-01-1)	
LC50 fish 1	< 10 mg/l
EC50 Daphnia 1	< 10 mg/l
ErC50 (algae)	< 10 mg/l
12.2. Persistence and degradability	
(+)-limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.
ThOD	3.29 g O⊡/g substance
12.3. Bioaccumulative potential	
(+)-limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (BCF; Pisces)
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log$ Kow ≤ 5).

13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk. Handle empty containers with care because residual vapors are flammable.

SECTION 14: Transport inform	nation
Department of Transportation (DOT))
Transport document description	: UN1993 Flammable liquids, n.o.s. (Terpene Hydrocarbons), 3, III
UN-No.(DOT)	: UN1993
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	3
Packing group (DOT)	: III - Minor Danger

Safety Data Sheet

DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: B1,B52,IB3,T4,TP1,TP29
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
DOT Vessel Stowage Location	: A
Additional information	
Emergency Response Guide (ERG) Number	: 128
Other information	: When transported by ground in non-bulk containers, this product utilizes the exception found under 49 CFR 173.150.

ADR	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: 1993
Proper Shipping Name (IMDG)	: Flammable liquids, n.o.s. (Terpene Hydrocarbons)
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: When transported by ocean, this product can be shipped as a limited quantity in containers ≤5 L.
Other information (IMDG)	: The marine pollutant mark is not required when transported on waterways in sizes of ≤5 L.
Air transport	
No additional information available	

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

UNDECETH-5 (34398-01-1)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information			
Training advice	:	Normal use of this product shall imply use in accordance with the instructions on the packaging.	
Full text of H-phrases:			

H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage

Safety Data Sheet

NFPA health hazard	:	2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA fire hazard	:	2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.
NFPA reactivity	:	0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.