



SOAP AND SCUM REMOVER

NON-ACID BOWL CLEANER

DISSOLVES SOAP, SCUM AND LIME DEPOSITS INSTANTLY

WARNING

Causes serious eye irritation. Suspected of causing cancer.

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: □ 1 □ 5 □ 20 □ 35 □ 55 Gallon(s)

SOAP AND SCUM REMOVER



**PO BOX 245013
MILWAUKEE, WI 53224
800.776.7192
www.sharecorp.com**



WARNING:

Causes serious eye irritation. Suspected of causing cancer.

PREVENTION:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear eye protection, protective clothing, protective gloves.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

If exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container to comply with local/regional/national/international regulations.

WARNING:

This product can expose you to Ethylene Oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

For industrial and commercial use only.

For additional information, see Safety Data Sheet.

NFPA® RATINGS

Health: 1; Flammability: 0; Reactivity: 0

INGREDIENTS/CAS #:

Water (7732-18-5); Pentasodium Triphosphate (7758-29-4); Tetrasodium EDTA (64-02-8); Sodium Laureth Sulfate (9004-82-4); Sodium Glycolate (2836-32-0); Sodium Hydroxide (1310-73-2).

SOAP AND SCUM REMOVER represents a new concept in formulated chemical cleaners. A blend of powerful cleaning agents is transformed into an effective but easy to handle cleaner. It may be used for dissolving scale, scum, soap, mineral or lime deposits that form on metal, machinery or parts – also for cleaning radiators and cooling systems. Simply add **SOAP AND SCUM REMOVER**, allow to remain a short period, and rinse with water. For more stubborn cases, completely immerse part in **SOAP AND SCUM REMOVER** and allow to soak overnight. Prolonged contact will not harm most metal surfaces.

TO REMOVE SCUM BUILDUP from shower stalls, drinking fountains, lavatories, painted metal, chrome, etc. apply liberally with a sprayer, soft brush or sponge. Scour gently. Rinse with clear water.

FOR ALUMINUM – Apply with mop, sponge or brush. Rinse thoroughly within 3 minutes after application. Test a small area before using on anodized aluminum.

SOAP AND SCUM REMOVER is excellent for descaling condensers and heat exchangers and water meters. It may also be used to clean and remove scale from an entire cooling tower system.

TO REMOVE WAX BUILDUP more easily from all types of resilient floors, add 1 pint of **SOAP AND SCUM REMOVER** to 5 gallons of conventional stripping solution. Agitate with machine or brush. Pick up dirty solution with vacuum or scrub mop. To remove soap and alkali buildup from all mosaic and concrete floors – add 1 pint **SOAP AND SCUM REMOVER** to 5 parts of a conventional stripping solution. Agitate with machine or brush. Pick up dirty solution with vacuum or scrub mop.

TO REMOVE WET SOAP FILM FROM ALL SURFACES – add 1 pint **SOAP AND SCUM REMOVER** to 5 gallons of rinse water. Spread on surface and pick up with mop or sponge.



Please Recycle.

1401.102721