Safety Data Sheet



#### **SECTION 1: Product and company identification** Product name : Citra Solve II Use of the substance/mixture : Aerosol

|                  |   | Solvent   |
|------------------|---|---|
| Product code     | : | 837901  |
| Company          | : | Share Corporation<br>P.O. Box 245013<br>Milwaukee, WI 53224 - USA<br>T (414) 355-4000 |
| Emergency number | : | Chemtrec: (800) 424-9300  |

### Emergency number

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

#### Classification (GHS-US)

Flam. Aerosol 1 H222 Skin Irrit. 2 H315 Skin Sens. 1 H317 Asp. Tox. 1 H304

Full text of H-phrases: see section 16

| 2.2. Label elements                 |   |
|-------------------------------------|---|
| GHS-US labeling                     |   |
| Hazard pictograms (GHS-US)          | HS02 GHS07 GHS08  |
| Signal word (GHS-US)                | : Danger  |
| Hazard statements (GHS-US)          | <ul> <li>Extremely flammable aerosol</li> <li>May be fatal if swallowed and enters airways</li> <li>Causes skin irritation</li> <li>May cause an allergic skin reaction</li> </ul>  |
| Precautionary statements (GHS-US)   | <ul> <li>Keep away from sparks, open flames, hot surfaces, heat No smoking<br/>Do not spray on an open flame or other ignition source<br/>Pressurized container: Do not pierce or burn, even after use<br/>Avoid breathing gas<br/>Wash thoroughly after handling<br/>Contaminated work clothing must not be allowed out of the workplace<br/>Wear protective gloves<br/>If swallowed: Immediately call a POISON CENTER, a doctor<br/>If on skin: Wash with plenty of water<br/>Specific treatment (see First aid measures on this label)<br/>Do NOT induce vomiting<br/>If skin irritation or rash occurs: Get medical advice/attention<br/>Take off contaminated clothing and wash before reuse<br/>Store locked up<br/>Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F<br/>Dispose of contents/container to comply with local/regional/national/international regulations<br/>If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present<br/>and easy to do. Continue rinsing<br/>If eye irritation persists: Get medical advice/attention<br/>IF INHALED: Move to fresh air, Give oxygen or artificial respiration if necessary, If symptoms<br/>persist, call a physician</li> </ul> |
| 2.3. Other hazards                  |   |
| No additional information available |   |
| 2.4 Unknown acute toxicity (CHS US) |   |

**2.4. Unknown acute toxicity (GHS US)** Not applicable

**SECTION 3: Composition/information on ingredients** 

3.1. Substance

Not applicable

### Safety Data Sheet



Full text of H-phrases: see section 16

| 3.2. Mixture                  |                     |          |  |
|-------------------------------|---------------------|----------|--|
| Name                          | Product identifier  | %        | Classification (GHS-US)  |
| D-limonene (Technical Grade)  | (CAS No) 94266-47-4 | 60 - 80  | Flam. Liq. 3, H226<br>Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Asp. Tox. 1, H304 |
| propane                       | (CAS No) 74-98-6    | 10 - 20  | Flam. Gas 1, H220<br>Compressed gas, H280  |
| butane                        | (CAS No) 106-97-8   | 2.5 - 10 | Flam. Gas 1, H220<br>Compressed gas, H280  |
| Alcohol Ethoxylate            | (CAS No) 68439-46-3 | 1 - 2.5  | Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319              |
| UNDECETH-5                    | (CAS No) 34398-01-1 | 1 - 2.5  | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318  |
| Alcohols, C12-13, Ethoxylated | (CAS No) 66455-14-9 | 0.1 - 1  | Skin Irrit. 2, H315<br>Eye Dam. 1, H318  |

| SECTION 4: First aid measures          |  |
|--|--|
| 4.1. Description of first aid measures |  |
| First-aid measures general             | : If you feel unwell, seek medical advice (show the label where possible).   |
| First-aid measures after inhalation    | If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for<br>breathing. Call a POISON CENTER or doctor/physician if you feel unwell.  |
| First-aid measures after skin contact  | Take off immediately all contaminated clothing and wash it before reuse. Wash skin with plenty of<br>water. If skin irritation or rash occurs: Get medical advice/attention.     |
| First-aid measures after eye contact   | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion     | : Do NOT induce vomiting. Immediately call a poison center or doctor/physician. Rinse mouth with water.  |
| 4.2. Most important symptoms and effe  |  |
| Symptoms/injuries                      | : If you feel unwell, seek medical advice.   |
| Symptoms/injuries after inhalation     | : None under normal use.   |
| Symptoms/injuries after skin contact   | : Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause skin  |
|  | dryness or cracking.   |
| Symptoms/injuries after eye contact    | , , , , ,  |

**4.3.** Indication of any immediate medical attention and special treatment needed Treat symptomatically. Keep watching the victim. Symptoms may be delayed.

| <b>SECTION 5: Firefighting measure</b> | Ires   |
|--|--|
| 5.1. Extinguishing media               |  |
| Suitable extinguishing media           | : Foam. Carbon dioxide. Dry chemical powder. Water fog.  |
| Unsuitable extinguishing media         | : Do not use a water jet since it may cause the fire to spread.  |
| 5.2. Special hazards arising from the  | substance or mixture   |
| Fire hazard                            | : May liberate toxic gases. Extremely flammable aerosol.   |
| Explosion hazard                       | : Contains gas under pressure; may explode if heated.  |
| Reactivity                             | : Upon combustion: CO and CO2 are formed.  |
| 5.3. Advice for firefighters           |  |
| Firefighting instructions              | : Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. |
| Protection during firefighting         | : Do not enter fire area without proper protective equipment, including respiratory protection.  |
| <b>SECTION 6: Accidental release</b>   | measures   |
| 6.1. Personal precautions, protective  | equipment and emergency procedures   |
| General measures                       | : No flames, No sparks. Eliminate all sources of ignition. Isolate from fire, if possible, without unnecessary risk. Vapors may travel long distances along ground before igniting/flashing back to vapor source.  |
|  |  |

### 6.1.1. For non-emergency personnel

| Protective equipment | • | Protective goggles. Gloves. Protective clothing. |
|----------------------|---|--|
|                      | • | Troteotive goggies. Cloves. Troteotive clothing. |



| Safety Data Sheet  |   | CORP   |
|--|---|--|
| Emergency procedures   | : Evacuate  | unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.  |
| <b>6.1.2. For emergency responders</b><br>Protective equipment<br>Emergency procedures |   | anup crew with proper protection.<br>if safe to do so. Stop release. Ventilate area.   |
| 6.2. Environmental precautions<br>Avoid release to the environment. Preve              | •   |  |
| 6.3. Methods and material for containm   |   |  |
| For containment  |   | eleased substance, pump into suitable containers.  |
| Methods for cleaning up  | : This mater  | rial and its container must be disposed of in a safe way, and as per local legislation.  |
| 6.4. Reference to other sections<br>No additional information available                |   |  |
| <b>SECTION 7: Handling and stora</b>   |   |  |
| 7.1. Precautions for safe handling   |   |  |
| Additional hazards when processed  | : Pressurize<br>defective.  | ed container: Do not pierce or burn, even after use. Do not use if spray button is missing or  |
| Precautions for safe handling  | understoor<br>this produc<br>Keep awa<br>sparking to<br>grind, or e<br>naked flan | ith the legal requirements. Do not handle until all safety precautions have been read and d. Use personal protective equipment as required. Do not eat, drink or smoke when using ct. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. y from sources of ignition - No smoking. Use explosion-proof equipment. Use only non-<br>ools. Take precautionary measures against static discharge. Do not cut, weld, solder, drill, expose containers to heat, flame, sparks, or other sources of ignition Do not spray on a ne or any incandescent material. Ground/bond container and receiving equipment. Use one or in a well-ventilated area. Do not re-use empty containers. |
| Hygiene measures   |   | roughly after handling. Contaminated work clothing should not be allowed out of the<br>. Wash contaminated clothing before reuse.  |
| 7.2. Conditions for safe storage, includi  |   |  |
| Technical measures   |   | ith applicable regulations. Proper grounding procedures to avoid static electricity should be<br>Do not puncture, incinerate or crush.   |
| Storage conditions   | : Store lock  | ed up. Refrigerate. (recommended).   |
| Incompatible products  | : Oxidizing ;   | agent. strong acids.   |
| Incompatible materials   | : Sources of exceeding  | f ignition. Pressurized container. Protect from sunlight and do not expose to temperatures 50°C.   |
| Storage area   |   | y from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place. Keep<br>Aerosol 3.   |
| Special rules on packaging   | : Keep only   | in original container. meet the legal requirements.  |
|  |   |  |

### **SECTION 8: Exposure controls/personal protection**

| propane (74-98-6) |                      |          |  |
|-------------------|----------------------|----------|--|
| ACGIH             | ACGIH TWA (ppm)      | 1000 ppm |  |
| OSHA              | OSHA PEL (TWA) (ppm) | 1000 ppm |  |
| butane (106-97-8) |                      |          |  |
| ACGIH             | ACGIH TWA (ppm)      | 1000 ppm |  |
| ACGIH             | ACGIH STEL (ppm)     | 1000 ppm |  |

Appropriate engineering controls

: Ensure adequate ventilation, especially in confined areas. If exposure limits have not been established, maintain airborne levels to an acceptable level. . Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective goggles. Protective clothing.



Hand protection Eye protection : Gloves.

: Avoid contact with eyes. Wear eye/face protection.

Safety Data Sheet



| Skin and body protection   | : Avoid contact with skin. Wear suitable protective clothing.  |
|----------------------------|--|
| Respiratory protection     | : If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-<br>supplied respirator.  |
| Thermal hazard protection  | : Use appropriate personal protective equipment when risk assessment indicates this is necessary.  |
| Consumer exposure controls | When using do not smoke. Keep away from food and drink. Use good personal hygiene practices.<br>Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and<br>when leaving work. Take off contaminated clothing and wash before reuse. |

#### SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical |                                  |
|---|----------------------------------|
| Physical state                                  | : Gas                            |
| Appearance                                      | : Aerosol.                       |
| Odor  | : Citrus scent                   |
| Odor threshold                                  | : No data available              |
| рН  | : No data available              |
| Melting point                                   | : No data available              |
| Freezing point                                  | : No data available              |
| Boiling point                                   | : 348.8 °F (Estimated)           |
| Flash point                                     | : -156 °F Propellant (Estimated) |
| Relative evaporation rate (butyl acetate=1)     | : No data available              |
| Flammability (solid, gas)                       | : No data available              |
| Explosion limits                                | : No data available              |
| Explosive properties                            | : No data available              |
| Oxidizing properties                            | : No data available              |
| Vapor pressure                                  | : 30 - 45 psig @ 70F (Estimated) |
| Relative density                                | : No data available              |
| Relative vapor density at 20 °C                 | : No data available              |
| Specific gravity / density                      | : 0.7583 g/ml (Estimated)        |
| Solubility                                      | : No data available              |
| Log Pow   | : No data available              |
| Log Kow   | : No data available              |
| Auto-ignition temperature                       | : No data available              |
| Decomposition temperature                       | : No data available              |
| Viscosity                                       | : No data available              |
| Viscosity, kinematic                            | : < 20 cSt                       |
| Viscosity, dynamic                              | : No data available              |
| VOC content                                     | : >90 %                          |
|   |                                  |

### **SECTION 10: Stability and reactivity**

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

**10.2.** Chemical stability Stable under normal conditions. Risk of ignition.

**10.3.** Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization does not occur.

10.4. Conditions to avoid

Heat. Open flame. Sparks. Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point.

10.5. Incompatible materials

Strong oxidizing agents. Nitrates. Fluorine. Chlorine.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

Acute toxicity

: Not classified

### Safety Data Sheet



| Alcohol Ethoxylate (68439-46-3)                    |  |
|--|--|
| LD50 oral rat                                      | 1400 mg/kg Estimated   |
| LD50 dermal rabbit                                 | > 5000 mg/kg   |
| ATE CLP (oral)                                     | 1400.000 mg/kg body weight   |
| UNDECETH-5 (34398-01-1)                            |  |
| LD50 oral rat                                      | > 1400 mg/kg   |
| Skin corrosion/irritation                          | : Causes skin irritation.  |
| Serious eye damage/irritation                      | : Not classified.  |
| Respiratory or skin sensitization                  | : May cause an allergic skin reaction.   |
| Germ cell mutagenicity                             | : Not classified   |
| Carcinogenicity                                    | : Not classified   |
| Reproductive toxicity                              | : Not classified   |
| Specific target organ toxicity (single exposure)   | : Not classified   |
| Specific target organ toxicity (repeated exposure) | : Not classified   |
| Aspiration hazard                                  | : May be fatal if swallowed and enters airways.  |
| Symptoms/injuries after inhalation                 | : None under normal use.   |
| Symptoms/injuries after skin contact               | : Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.                       |
| Symptoms/injuries after eye contact                | : Direct contact with the eyes is likely irritating.   |
| Symptoms/injuries after ingestion                  | : May be fatal if swallowed and enters airways. Risk of aspiration pneumonia. Nausea. Cramps/uncontrolled muscular contractions. Diarrhea. |

| <b>SECTION 12: Ecological informati</b> | ion       |  |  |
|---|-----------|--|--|
| 12.1. Toxicity                          |           |  |  |
| UNDECETH-5 (34398-01-1)                 |           |  |  |
| LC50 fish 1                             | < 10 mg/l |  |  |
| EC50 Daphnia 1                          | < 10 mg/l |  |  |
| ErC50 (algae)                           | < 10 mg/l |  |  |
| 12.2. Persistence and degradability     |           |  |  |
| No additional information available     |           |  |  |

**12.3. Bioaccumulative potential** No additional information available

| SECTION 13: Disposal considerations |   |   |  |
|-------------------------------------|---|---|--|
| 13.1. Waste treatment methods       |   |   |  |
| Waste disposal recommendations      | : | Dispose in a safe manner in accordance with local/national regulations.       |  |
| Additional information              | : | Handle unclean empty containers as full ones. Do not re-use empty containers. |  |
| SECTION 14: Transport information   |   |   |  |
| Department of Transportation (DOT)  |   |   |  |

| Transport document description   | : UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1 |
|----------------------------------|---|
| UN-No.(DOT)                      | : UN1950  |
| Proper Shipping Name (DOT)       | : Aerosols  |
|                                  | flammable, (each not exceeding 1 L capacity)                          |
| Transport hazard class(es) (DOT) | : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115                      |
| Hazard labels (DOT)              | : 2.1 - Flammable gas   |
|                                  |   |



Safety Data Sheet

Marine pollutant

| : | Yes (IMDG only) |
|---|-----------------|
|   | ×               |

| DOT Packaging Non Bulk (49 CFR 173.xxx)                             | ) : | None   |
|---|-----|--|
| DOT Packaging Bulk (49 CFR 173.xxx)                                 | :   | None   |
| DOT Special Provisions (49 CFR 172.102)                             | :   | N82  |
| DOT Packaging Exceptions (49 CFR 173.xxx)                           | :   | 306  |
| DOT Quantity Limitations Passenger<br>aircraft/rail (49 CFR 173.27) | :   | 75 kg  |
| DOT Quantity Limitations Cargo aircraft<br>only (49 CFR 175.75)     | :   | 150 kg   |
| DOT Vessel Stowage Location   | :   | A  |
| DOT Vessel Stowage Other  | :   | 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials |
| Additional information  |     |  |
| Other information   | :   | This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.306.                            |

| ADR<br>No additional information available                                       |  |
|--|--|
| Transport by sea<br>UN-No. (IMDG)<br>Proper Shipping Name (IMDG)<br>Class (IMDG) | : UN1950<br>: Aerosols<br>: 2.1 - Flammable gases              |
| Air transport<br>UN-No.(IATA)<br>Proper Shipping Name (IATA)<br>Class (IATA)     | : UN1950<br>: Aerosols, flammable<br>: 2.1 - Gases : Flammable |

### **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

| propane (74-98-6)   |                                 |  |
|---|---------------------------------|--|
| Not listed on SARA Section 313 (Specific toxic chemical listings) |                                 |  |
|   |                                 |  |
| butane (106-97-8)   |                                 |  |
| Not listed on SARA Section 313 (Specific toxic chemical listings) |                                 |  |
|   |                                 |  |
| UNDECETH-5 (34398-01-1)   |                                 |  |
|   |                                 |  |
| SARA Section 311/312 Hazard Classes                               | Immediate (acute) health hazard |  |

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity

| SECT     | <b>TON 16: Other information</b> |  |  |
|----------|----------------------------------|--|--|
| Training | g advice                         | Normal use of this product shall imply use in accordance with the instructions on the packaging. |  |
| Full tex | t of H-phrases:                  |  |  |
|          | Acute Tox. 4 (Oral)              | Acute toxicity (oral) Category 4   |  |



### Safety Data Sheet

| Asp. Tox. 1     | Aspiration hazard Category 1                       |
|-----------------|--|
| Compressed gas  | Gases under pressure Compressed gas                |
| Eye Dam. 1      | Serious eye damage/eye irritation Category 1       |
| Eye Irrit. 2A   | Serious eye damage/eye irritation Category 2A      |
| Flam. Aerosol 1 | Flammable aerosol Category 1                       |
| Flam. Gas 1     | Flammable gases Category 1                         |
| Flam. Liq. 3    | Flammable liquids Category 3                       |
| Skin Irrit. 2   | Skin corrosion/irritation Category 2               |
| Skin Sens. 1    | Skin sensitization Category 1                      |
| H220            | Extremely flammable gas                            |
| H222            | Extremely flammable aerosol                        |
| H226            | Flammable liquid and vapor                         |
| H280            | Contains gas under pressure; may explode if heated |
| H302            | Harmful if swallowed                               |
| H304            | May be fatal if swallowed and enters airways       |
| H315            | Causes skin irritation                             |
| H317            | May cause an allergic skin reaction                |
| H318            | Causes serious eye damage                          |
| H319            | Causes serious eye irritation                      |

 NFPA health hazard
 : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

 NFPA fire hazard
 : 4 - Will rapidly or completely vaporize at normal pressure and temperature, or is readily dispersed in

fire hazard : 4 - Will rapidly or completely vaporize at normal pressure and temperature, or is readily dispersed in air and will burn readily.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.