T-BOWL 23% BOWL CLEANER



Use to clean and disinfect toilet howls and urinals. Quickly eliminates rust lime and uric acid denosits. Fliminates offensive odors. Antihacterial formula. For use inside toilet howls and urinals. Do not use on sinks, bathtubs, or other porcelain enameled surfaces. Use of this toilet bowl cleaner on other than vitreous ware is done at user's risk. Kills the following germs: Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella choleraesuis, Will not harm bacteria action of septic tanks.

Recommended for use in commercial and industrial buildings, schools, medical institutions manufacturing plants, public restrooms, hotels and motels.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. TO CLEAN TOILET BOWLS AND URINALS

Pour 1 to 2 ounces of bowl cleaner on applicator. Clean entire unit, especially under rim at water outlets

TO DISINFECT TOILET BOWLS AND URINALS

A preliminary cleaning is required for the removal of gross fifth prior to disinfection.

- Remove water from bowl or urinal by forcing over trap with applicator Remove excess water from applicator by pressing it against the side of bowl
- Holding applicator over bowl or urinal, pour 1 ounce of toilet bowl cleaner on applicator.
- Clean entire unit, especially under the rim at water outlets. Allow to ramain 10 minutes
- Rush and rinse out applicator.

Do not use on sinks, bathtubs, or other corealain enameled surfaces. Use of this toilet bowl cleaner on other than vitreous ware is done at use's risk

Effective against HN-1(AIDS VIRUS) Product was evaluated and found to be an effective virucide in the presence of 5% serum against the Virus HIV-Wiennan Immunodyficiency Virus 1, commonly referred to as AIDS Virus) on Inanimate surfaces. Kills HIV on pracleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of of inanimate surfaces/objects with plood or body fluids, and in which surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmi

Human Immunodeficiency Virus Type 1(HW-1)(associated with All SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Disposable latex gloves, gowns masks and splash resistant goggles must be worn when handling items soiled with blood or body fluids. Cleaning Procedures: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Contact Time: Leave surface wat for 10 minutes. Disposal of Intectious Materials: Blood and other body fluids should be autoclayed and disposed of according to local regulations for infectious waste disposal.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, Causes eve and skin damage, May be fatal if swallowed. Do not breathe vapor or fumes. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Use with adequate ventilation.

PHYSICAL AND CHEMICAL HAZARDS: Never use with chlorine products. Can react to give chlorine gas. If this occurs, flush toilet to remove chemicals and leave area. Do not return for half an hour. Ventilate if possible. Never use or mix with other cleaners or chemicals. Do not use on any surface that can be damaged by acidic materials. Many surfaces are not registrate to acid. Do not use on PVD finished surfaces.

FIRST AID: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious pageto, IE INHALED: Move derson to fresh air. If netson so,not breathing call 911 or an embulance, then give artificial respiration, preferably by mouth-to-mouth, if Call a poison control center by doubter to switter treatment advice. IF ON SKIN OR IG: Take off contaminated circlinia, Prinse skin immediately with blents of water for 15/20 minutes Callya poison control center of doctor for treatment advice (IF IN EYES: Hol eyelopen and miselstowin and gettly with water for 15-20 minutes. Retpoye contact lenses, it present after the first 5 minutes, then continue mising eye. Call a power control evoter or Have the product container of label with you when calling a poison control center or doctor,

For emergency information concerning this product, call the National Pesticides Information Center (MPIC) on 14004858-V378 seven devs a week, 6:30 am to 4:30 pm Pacific time. (NPIC

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

STORAGE AND DISPOSAL Store in an area inaccessible to children. Nonrefillable container. Do not reuse or refill this

container. Offer for recycling if available. Otherwise, wrap empty container in plastic bag and

Other ingredients include: Detergents, emulsifying and wetting agents and essential oils. FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

website: www.npic.orst.edu)

MADE IN THE ILS A

Sold By: Share Comporation . P.O. Box 245013, Milwaukee, WI 53224

CLEANS • DISINFECTS • DEODORIZES OLLS PSEUDOMONAS AFRUGINOSA STAPHYLOCOCCUS AUREUS (STAPH) AND SALMONELLA CHOLERAESUIS (SALMONELLA). SAFE FOR SEPTIC TANKS, KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED ENVIRONMENTAL SURFACES*

ACTIVE INGREDIENTS

Hydrogen Chloride	23.00%
n-Alkyl (C12 40%, C14 50%, C16 10%) dimethyl benzyl ammonium chlorides	0.05%
OTHER INGREDIENTS (Detergents, Emulsifying and Wetting Agents and Essential Oils)	76.95%
TOTAL	100.00%

FPA REG NO. 8155-3-11547 FPA FST. NO. 8155-0H-1

KEEP OUT OF REACH OF CHILDREN



See first aid and additional precautionary statements on reverse side.

Net Contents: 32 Fl. Oz. (1 U.S. Qt.) 946 ml